RAJIV GANDHI UNIVERSITY RONO HILLS: DOIMUKH

No.ST-374/Chem Lab/2021 /0211

Dated the 29th June, 2021

NOTICE INVITING QUOTATION

Rajiv Gandhi University, Rono Hills, Doimukh (Itanagar) invites sealed quotations for supply of equipments for Dept. of Chemistry as per Annexure-I & II.

MINIMUM ELIGIBILITY CRITERIA FOR PARTICIPATING BIDDERS:

- (1). Bidder should quote with tender specific authorization letter from respective manufacturer. This authorization letter should be valid till the warranty period exists.
- (2) Documents like GST Registration, PAN Card, Bank Details, Company Registration, Trading License copy should be submitted along with the quotation.
- (3) Bid Security/Earnest Money Rs. 5,000/- (Rupees five thousand) only should be submitted along with the quotation in the shape of Demand Draft favoring Registrar, Rajiv Gandhi University, payable at SBI Itanagar/ Naharlagun or Bank of Baroda Itanagar/ Naharlagun or Bid Security Declaration (Annexure –II).
- (4) The rate & tax, discount etc. should be mentioned separately and rates quoted should be F.O.R destination (Rajiv Gandhi University, Doimukh). Vague /Ambiguous terms like "Packing, forwarding, clearing, installation charge etc. Extra" without mentioning the specific amount should not be accepted. The taxes / discounts, if charge etc. Extra" without mentioning the specific amount should not be accepted. The taxes / discounts, if charge etc. Extra" without mentioning the specific amount should not under no circumstances these applicable, are to be explicitly and separately shown as single price. All the components of taxes, if applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR Certificate for applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR certificate for applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR certificate for applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR certificate for applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR certificate for applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR certificate for applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR certificate for applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR certificate for applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR certificate for applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR certificate for applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR certificate for applicable, should be shown explicitly and separately (It is to be noted that RGU has DSIR certificate for applicable for the should be shown as a single price.
- (5) The quoted rates must be valid for 90 days from the last date of submission of quotation.
- The equipment and its components under the purchase order, when installed, shall be warranted for the quality, workmanship, trouble free operation and performance for a period of at least 1 year from the date of putting the system into operation at Rajiv Gandhi University, (A signed Bidder's Warranty has to be submitted putting the system into operation at Rajiv Gandhi University, (A signed Bidder's Warranty has to be submitted along with the Bid Document) If any item covered under warranty fails, the same shall be replaced free of cost including all the applicable charges including shipping cost both ways.
- (7) All the quotations must be supported by the printed technical leaflet/ literature and the specifications mentioned in the quotation must be reflected/ supported by such printed technical leaflet/ literature. For easy reference the model and specification quoted should invariably be highlighted in the leaflet/ literature.
- (8) The bidder should clearly state the after sales service centre and detail address in India, without which their quotations shall be liable for rejection.
- (9) Dealers or agents quoting on behalf of Manufacturer must enclose valid dealership certificate.

Mis

- The offers received through telex / tele-fax / e-mail will not be accepted by the University under any (10)circumstances.
- The University shall not be responsible for any delay / loss or non-receipt of tenders by post / courier service. (11)
- No unsolicited correspondence shall be entertained after the submission of the offer. No enquiry shall be (12)made by the bidders during the course of evaluation of the tender till a final decision is conveyed to the successful bidder. However, the purchase committee or its authorized representative can make any enquiry/seek clarification from the bidders. In such a situation, the bidder shall extend full cooperation. The bidders may also be asked to arrange demonstration of the offered items, in a short notice, as such the bidders have to be ready for the same.
- All aspects of safe delivery shall the exclusive responsibility of the vendor. For sophisticated equipments the (13)package will be opened only in the presence of University representative and vendor's representative.
- (14)Part delivery is not allowed.
- All the terms and conditions mentioned herein must be strictly adhered to by all the bidders. Conditional (15)tenders shall not be accepted on any ground and shall be rejected straightway. Printed conditions mentioned in the tender bids submitted by vendors will not be binding on the University.
- Up-to-date Tax clearance certificate. GST registration certificate indicating also the TIN, PAN number of the (16)firm must be clearly mentioned in the quotation. The bidder may also attach documents of IT returns to the concerned Income Tax authority/ submit the exemption certificate. Taxes as applicable may be deducted from the bill(s) as per the instructions of the Government. Concessional Form C & D is not applicable to this University.
- Late and delayed tender will not be considered. In case any unscheduled holiday occurs on the prescribed (17)closing/opening date the next working day shall be the prescribed date of closing/ opening.
- Tender is not transferable. (18)
- Timely supply of the ordered items, installation, commissioning (wherever is applicable) and training etc. is the essence of the contract. In the event of delayed delivery, installation and commissioning i.e. after the (19)expiry of the period as agreed by both the parties, the vendor shall be liable for a penalty deduction at a percentage on the value of the undelivered equipment subject to a maximum of 10% as detailed below.
 - @ 2% up to one week
 - @ 3 % up to two weeks
 - @ 5% up to three weeks
 - @ 10% for four weeks and above subject to approval given by RGU Doimukh.
- Extra charge for installation & demonstration shall not be paid by Rajiv Gandhi University. (20)
- The offer must be in English. The rates should be indicated both in figures and words. The rates and units shall not be over written, amount shall be both in figures and words. All corrections must be signed in full by (21) the Firm
- The prices quoted shall remain firm /valid until equipment/instruments are supplied. (22)
- In case of any dispute in respect of the tender, all legal matters shall be instituted within the jurisdiction of the (23)place where the purchaser ordinarily resides.

- (24) The University may terminate the contract/ supply order in whole / part and forfeit the EMD/ PBG incase the supplier/ vendor fails to meet the contractual obligations.
- (25) A self attested copy of valid PAN Card, GST Certificate and Trading License must be enclosed along with the tender.
- Quotations received without Bid Security/EMD amount by way of DD in the favour of Registrar, Rajiv Gandhi University or Bid Declaration will not be considered at all.
- (27) Payment shall be made after installation of the equipment. No payment shall be made for unsatisfactory supply and installation.
- (28) Additional terms and conditions will be incorporated in the purchase order, if needed, to safe guard the interests of the University.
- (29) Any offer containing incorrect and incomplete information shall be liable for rejection. Rajiv Gandhi University, Doimukh, Itanagar reserves the right to accept / reject any offer in full or in part or accept any offer other than the lowest offer without assigning any reason thereof.
- (30) Performance Security 3% of total cost of the equipment(s) should be submitted by the successful bidder in the shape of Demand Draft favoring Registrar, Rajiv Gandhi University, payable at SBI/Bank of Baroda Itanagar/ Naharlagun or Performance Bank Guarantee (covering warranty period of the equipments) 3% of total cost of the equipment(s) before releasing the payment. The Performance Security amount shall be released after expiry of warranty period of the equipment(s).
- (31) GST should be applicable at the lower rate of 5% for educational research institution based on DSIR Certificate.

Note:

- i. The sealed quotation envelope should be super scribed quotation reference no.
- ii. Last date and time of receipt of quotation: 21/07/2021 up to 16.00 hours.

Memo No.ST-374/Chem Lab/2021 /02/(

Copy to:

1. All authorized dealers/ suppliers.

2. The Head, Dept. of Chemistry for information.

The Jt. Director, Computer Centre for information and uploading the quotation on Central Public Procurement Portal and in the University website.

- 4. Notice Boards.
- 5. Guard File.
- 6. Office copy.

REGISTRAR

Dated the .O.L.

5k. Oir, (U)

il.	Particulars	<u>~ 보다의 보기 다른하게 되고 되었다. 그는 이 모든</u> 하게 되었습니다 네를 하실하게 보고 하는 사람들은 그렇게 되어 다른 사람들이 하는 것을 하면 없다. 그렇게 되었습니다.	Annexure I
lo.		Technical Specifications	Quantity
	Analytical Balance	Capacity: 220 g	Required
		Readability: 0.0001 g	
	Preferred Make &	Reneatability (standard deviation), 0.4	
	Model:	Repeatability (standard deviation): 0.1 mg	and the second
	Mettler Toledo/	Response time (avg.): 2 s Linearity :0.2 mg	
	Shimadzu/ Sartonus	Pan (inner diameter): 90 mm	
		Leveling: Glass level indicator with air bubble for centering	
		Calibration: External/ Internal calibration	
		Selectable weight units: milliorem, grow, kilogram, gound	
	Analytical Balance	Selectable weight units: milligram, gram, kilogram, pound Weighing capacity: 220 q	
			1
		Minimum weighing value: 0.001 g	
		Repeatability: 0.001 g	
	THE PROPERTY OF	Power supply: AC adapter.	
		Display: Vacuum fluorescent display (VFD) or LED Interface RS-232	
3.	Conductivity Meter	Should include an external calibration mass as required	
Ž.,	To made in the interest	Conductivity Range: 0 to 20.00, 200.0, 2000 µS and 0 to 20.00, 200.0 mS	1
	Preferred Make &		1
	Model:	TDS Range: 0 to 10.00, 100.0, 1000 ppm and 0 to 10.00, 100.0 ppt (max 200.0 ppt @ 1.0 TDS factor)	
	Eutech (CON 700)	Resolution: 0.05 % Full Scale	
	20.0011 (0014 700)		
		Accuracy: ±1% Full Scale	
		Temperature Range: 0.0 to 100.0 °C	
		Compensation Type: Automatic with supplied cell or Manual	
		Compensation Range: 0.0 to 100 °C 0.0 to 80 °C with supplied cell	
		Resolution: 0.1 °C	
		Cell Constant: 0.1, 1.0, 10.0 (selectable)	
		TDS Factor: 0.40 to 1.00 (adjustable)	
		Calibration points: Automatic (4 points); Maximum 1 per range;	
		Manual (5 points); Maximum 1 per range	to Exist.
		Auto-ranging and Hold Function	A Anna
		Memory: 100 data sets	
		Input: 8-pin DIN Power AC/DC 9V, 6W Adapter (100-240 VAC, 50-	
	-11 Mates	60Hz)	
4.	pH Meter	pH range: 0 to 14.00	1
	0(Resolution: 0.01 pH	
	Preferred Make &	ORP Range: ±2000 mV	or the first
	Model:	Resolution: 0.1 mV (±199.9 mV) / 1 mV (beyond)	
	Eutech (Cyberscan	Accuracy: ±0.2 mV (±199.9 mV) / ±2 mV (beyond)	
	pH 700)	Temperature Range: 0.0 to 100.0 °C	
		Resolution: 0.1 °C	
		Accuracy: ±0.3 °C	
		Compensation: ATC	
		Power Requirements: 9 V DC adapter, 1.3 A (100-240 VAC, SMPS)	Self-self &
		Main unit: pH meter with (i) pH Electrode (plastic cover), (ii) ATC	
		Probe, (iii) Integral Electrode Holder and (iv) 100-240 VAC Adapter	A Later

	Spectrophotometer	T M:	· ·
	Preferred Make & Model: Systronics (Model:	Micro-controller based (automatic) Display: 4 Digit LED display Wavelength range: 340 – 960 nm Measurement mode: %T, Absorbance and Concentration Bandwidth: 5 nm	1
_	1 100)	Bandwidth: 5 nm	
6.	Digital Water bath	Full CC OLIG	
	(concentric ring with 12 holes)	Full SS GMP double wall construction Seamless die pressed inner tank With water level indicator Holes: 12 x 75 mm	1
	Preferred Make & Model:	Heater: 800 W × 2	- 18 9 E
7.	Equitron		
	Water Delonizer Preferred Make & Model: IKON/ MACRO	Double Stage Double Bed Unit with in-built f pre-filter Fitted with digital conductivity meter Output: 50 L/ h Fitted with a sturdy PVC multi-control valve and can be connected direct to water taps. The purity of treated water should be 440 minuted.	1
		The purity of treated water should be < 10 micro siemens/cm and pH 7.5 to 9.0.	
8.	Laboratory	One plastic chemical free re-generation tank	7.71
	Refrigerator	Cooling type; Frost free	1
	Preferred Make & Model: REMI (RLR-400)	Temperature range: 1 to 10 °C No. of doors: 1 No. of shelves: 4	

रिट टीट्र (राजेश चक्रवर्ती/ Rajesh Chakrabarty) विभागाध्यक्ष / Head Department of Chemistry, RGU

> विभागध्यक्ष/Head रसायन विज्ञान विभाग Department of Chemistry Rajiv Gandhi University Rono Hills, Doimukh Arunachal Pradesh

BID SECURITY DECLARATION

I/we hereby understand and accept that if I/we withdraw or modify my/our bids during the period of validity, or if I/we are awarded the contract and on being called upon to submit the Performance Security/ Security Deposit, fail to submit the Performance Security/Security Deposit before the deadline defined in the request for bid document/Notice Inviting Tender, we shall be debarred from exemption of submitting Bid Security/Earnest Money Deposit and Performance Security/Security Deposit for a period of 6(six) months, from the date we are declared disqualified from exemption from submission of EMD/SD, for all tenders issued by Rajiv Gandhi University, Arunachal Pradesh published during this period.

(Signature with date)

(Full name, designation & address of the person duly authorized sign on behalf of the bidder)

(Name, address and stamp of the tendering firm)